Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-16. (Cancelled)

- 17. (Currently Amended) <u>aA</u> solid support comprising:
- a. A substrate;
- b. An electrostatic layer comprising a positively charged compound on the substrate; and
- c. A surface-treated layer comprising diamond between the substrate and the electrostatic layer,

<u>e.d.</u> A chemically modifying layer containing a carboxyl group on the electrostatic layer <u>making it possible to introduce for introducing</u> a functional group <u>capable of for covalently binding to a nucleic acid molecule</u>; and

<u>d.e.</u> A nucleic acid molecule bonded covalently to the chemically modifying layer.

18. (Cancelled)

Appln. No. 10/521,176 Amd. dated December 16, 2010 Reply to Office Action of August 17, 2010

- 19. (Previously Presented) The solid support according to claim17, wherein the electrostatic layer includes an amino group-containingcompound that does not covalently bond to the substrate.
- 20. (Previously Presented) The solid support according to claim 17, wherein the electrostatic layer includes an amino group-containing compound by covalently binding to the substrate, and the compound containing an amino group has an amino group at the terminus to which the substrate does not bind.
- 21. (Previously Presented) The solid support according to claim19, wherein the amino group-containing compound is polyarylamine.

Claims 22-30. (Cancelled)

- 31. (Previously Presented) The solid support according to claim 17, wherein the nucleic acid molecule is immobilized as a spot.
- 32. (Previously Presented) The solid support according to claim 17, wherein the thickness of the electrostatic layer is 1 nm to 500 microns.
- 33. (New) The solid support according to claim 17, wherein the diamond is a soft diamond that is diamond-like carbon.
- 34. (New) The solid support according to claim 17, wherein a nucleic acid is covalently bound to the carboxyl group.

Appln. No. 10/521,176 Amd. dated December 16, 2010 Reply to Office Action of August 17, 2010

35. (New) The solid support according to claim 17 wherein the thickness of the surface-treated layer is 1 nm to 100 nm.

- 4 -